Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	538	(request with data with router)	USPAT	OR	ON	2005/04/07 08:50
L2	0	(request with dta with router) and (data with stor\$4 with router)	USPAT	OR	ON	2005/04/07 08:51
L3	193	(request with data with router) and (data with stor\$4 with router)	USPAT	OR	ON	2005/04/07 08:54
L4	22	(request with data with router).ab.	USPAT	OR	ON	2005/04/07 08:52
L5	9	3 and 4	USPAT	OR	ON	2005/04/07 08:52
L6	11	(request with data with router) and (data with stor\$4 with router).ab.	USPAT	OR	ON	2005/04/07 08:54
S1	2601	709/203.ccls.	USPAT	OR	ON	2005/03/29 18:27
S2	2347	(router).ab.	USPAT	OR	ON	2005/03/29 18:28
S3	19	S1 and S2	USPAT	OR	ON	2005/03/30 10:12
S4	442	(load adj balanc\$).ab.	USPAT	OR	ON	2005/03/29 18:29
S5	33	S1 and S4	USPAT	OR	ON	2005/03/29 18:29
S6	36	(router same cache\$).ab.	USPAT	OR	ON	2005/04/01 14:38
S7	174	((router or map\$ adj server or intermed\$ adj server) same (cache\$ or queu\$ or buffer)).ab.	USPAT	OR ·	ON	2005/03/30 13:54
S8	2	((router or map\$ adj server or intermed\$ adj server) same (cache\$ or queu\$ or buffer) same status). ab.	USPAT	OR	ON	2005/03/30 13:56
S9	30044	((router or map\$ adj server or intermed\$ adj server) same (cache\$ or queu\$ or buffer) same status or busy)	USPAT	OR	ON	2005/03/30 13:57
S10	333	((router or map\$ adj server or intermed\$ adj server) same (cache\$ or queu\$ or buffer) same (status or busy))	USPAT	OR .	ON	2005/03/30 13:57
S11	3	((router or map\$ adj server or intermed\$ adj server) same (cache\$ or queu\$ or buffer) same (status or busy)).ab.	USPAT	OR	ON	2005/03/30 13:59
S12	3	(("6003064") or ("5889046") or ("5870561")).PN.	USPAT; USOCR	OR	OFF	2005/03/30 13:59
S13	0	("10064080").PN.	USPAT; USOCR	OR	OFF	2005/03/30 18:10
S14	1	("6134596").PN.	USPAT; USOCR	OR	OFF	2005/03/30 18:10
S15	1	router near5 cache\$ near5 stor\$ near5 request	USPAT	OR	ON	2005/03/31 07:33
S16	6	router near10 cache\$ near10 (stor\$ or hold\$) near10 request	USPAT	OR	ON	2005/03/31 07:44

S17							
near10 (stors or hold\$ or queue)   near10 query   near10 query   near10 query   near10 (cache\$ or memory or queu\$)   US-PGPUB; OR	S17	17		US-PGPUB	OR	ON	2005/03/31 07:51
S20	S18	10	near10 (stor\$ or hold\$ or queue)		OR	ON	2005/03/31 08:01
	S19	4143			OR	ON	2005/03/31 08:00
Wait\$   same (request or command or query)).ab.	S20	103			OR	ON	2005/03/31 08:25
S23	S21	386	wait\$) same (request or command		OR	ON	2005/03/31 08:27
S24   4   (router same (queue or cache or memory or buffer) same (request or command or query)). ab.   USPAT   OR   ON   2005/04/01 11:14	S22	289	wait\$) same (request or command	USPAT	OR	ON	2005/03/31 08:27
memory or buffer) same (hold\$ or wait\$) same (request or command or query)).ab.	S23	771	buffer) same (hold\$ or wait\$) same (request or command or query)).	USPAT	OR	ON	2005/03/31 08:30
\$26         772         709/202.ccls.         USPAT         OR         ON         2005/04/01 11:18           \$27         136         \$25 and \$26         USPAT         OR         ON         2005/04/01 11:18           \$28         2         \$25 and (proxy adj server same profile)         USPAT         OR         ON         2005/04/01 11:57           \$29         1         \$26 and (proxy adj server same profile)         USPAT         OR         ON         2005/04/01 14:31           \$30         0         \$26 and (intermediate adj server)         USPAT         OR         ON         2005/04/01 14:32           \$31         5         \$26 and (intermediate adj server)         USPAT         OR         ON         2005/04/01 14:34           \$32         11         \$25 and (intermediate adj server)         USPAT         OR         ON         2005/04/01 14:34           \$33         3         \$32 and profile         USPAT         OR         ON         2005/04/01 14:34           \$34         389         (router with cache\$)         USPAT         OR         ON         2005/04/01 14:41           \$35         487241         (router with (cache\$ or memory)         USPAT         OR         ON         2005/04/01 15:56           \$37<	S24	4	memory or buffer) same (hold\$ or wait\$) same (request or command	USPAT	OR	ON	2005/04/01 11:14
S27         136         S25 and S26         USPAT         OR         ON         2005/04/01 11:18           S28         2         S25 and (proxy adj server same profile)         USPAT         OR         ON         2005/04/01 11:57           S29         1         S26 and (proxy adj server same profile)         USPAT         OR         ON         2005/04/01 14:31           S30         0         S26 and (intermediate adj server)         USPAT         OR         ON         2005/04/01 14:32           S31         5         S26 and (intermediate adj server)         USPAT         OR         ON         2005/04/01 14:34           S32         11         S25 and (intermediate adj server)         USPAT         OR         ON         2005/04/01 14:34           S33         3         S32 and profile         USPAT         OR         ON         2005/04/01 14:34           S34         389         (router with cache\$)         USPAT         OR         ON         2005/04/01 14:41           S35         487241         (router with (cache\$ or memory)         USPAT         OR         ON         2005/04/01 15:56           S37         279         (router with (cache\$ or memory)         USPAT         OR         ON         2005/04/01 15:35 <tr< td=""><td>S25</td><td>1161</td><td>709/201.ccls.</td><td>USPAT</td><td>OR</td><td>ON</td><td>2005/04/01 11:18</td></tr<>	S25	1161	709/201.ccls.	USPAT	OR	ON	2005/04/01 11:18
S28         2         S25 and (proxy adj server same profile)         USPAT         OR         ON         2005/04/01 11:57           S29         1         S26 and (proxy adj server same profile)         USPAT         OR         ON         2005/04/01 14:31           S30         0         S26 and (intermediate adj server) same profile)         USPAT         OR         ON         2005/04/01 14:32           S31         5         S26 and (intermediate adj server)         USPAT         OR         ON         2005/04/01 14:34           S32         11         S25 and (intermediate adj server)         USPAT         OR         ON         2005/04/01 14:34           S33         3         S32 and profile         USPAT         OR         ON         2005/04/01 14:34           S34         389         (router with cache\$)         USPAT         OR         ON         2005/04/01 14:41           S35         487241         (router with cache\$ or memory)         USPAT         OR         ON         2005/04/01 15:56           S37         279         (router with (cache\$ or memory)         USPAT         OR         ON         2005/04/01 15:35           S38         18         (router with (cache\$ or memory) same (busy or available))         USPAT         OR         O	S26	772	709/202.ccls.	USPAT	OR	ON	2005/04/01 11:18
S29   1   S26 and (proxy adj server same profile)	S27	136	S25 and S26	USPAT	OR	ON	2005/04/01 11:18
S30   D   S26 and (intermediate adj server same profile)   S26 and (intermediate adj server)   USPAT   OR   ON   2005/04/01 14:32	S28	2		USPAT	OR	ON	2005/04/01 11:57
Same profile   Same	S29	1	, , , ,	USPAT	OR	ON	2005/04/01 14:31
S32       11       S25 and (intermediate adj server)       USPAT       OR       ON       2005/04/01 14:34         S33       3       S32 and profile       USPAT       OR       ON       2005/04/01 14:34         S34       389       (router with cache\$)       USPAT       OR       ON       2005/04/01 14:41         S35       487241       (router with cache\$ or memory)       USPAT       OR       ON       2005/04/01 14:41         S36       107       (router with (cache\$ or memory)).       USPAT       OR       ON       2005/04/01 15:56         S37       279       (router with (cache\$ or memory)same (busy or available))       USPAT       OR       ON       2005/04/01 15:35         S38       18       (router with (cache\$ or memory)same busy )       USPAT       OR       ON       2005/04/01 15:38	S30	0		USPAT	OR	ON	2005/04/01 14:32
S33       3       S32 and profile       USPAT       OR       ON       2005/04/01 14:34         S34       389       (router with cache\$)       USPAT       OR       ON       2005/04/01 14:41         S35       487241       (router with cache\$ or memory)       USPAT       OR       ON       2005/04/01 14:41         S36       107       (router with (cache\$ or memory)).       USPAT       OR       ON       2005/04/01 15:56         S37       279       (router with (cache\$ or memory)same (busy or available))       USPAT       OR       ON       2005/04/01 15:35         S38       18       (router with (cache\$ or memory)same busy )       USPAT       OR       ON       2005/04/01 15:38	S31	5	S26 and (intermediate adj server)	USPAT	OR	ON	2005/04/01 14:34
S34       389       (router with cache\$)       USPAT       OR       ON       2005/04/01 14:41         S35       487241       (router with cache\$ or memory)       USPAT       OR       ON       2005/04/01 14:41         S36       107       (router with (cache\$ or memory)).       USPAT       OR       ON       2005/04/01 15:56         S37       279       (router with (cache\$ or memory)same (busy or available))       USPAT       OR       ON       2005/04/01 15:35         S38       18       (router with (cache\$ or memory)same busy )       USPAT       OR       ON       2005/04/01 15:38	S32	11	S25 and (intermediate adj server)	USPAT	OR	ON	2005/04/01 14:34
S35       487241       (router with cache\$ or memory)       USPAT       OR       ON       2005/04/01 14:41         S36       107       (router with (cache\$ or memory)). ab.       USPAT       OR       ON       2005/04/01 15:56         S37       279       (router with (cache\$ or memory)same (busy or available))       USPAT       OR       ON       2005/04/01 15:35         S38       18       (router with (cache\$ or memory)same busy )       USPAT       OR       ON       2005/04/01 15:38	S33	3	S32 and profile	USPAT	OR	ON	2005/04/01 14:34
S36   107   (router with (cache\$ or memory)).   USPAT   OR   ON   2005/04/01 15:56	S34	389	(router with cache\$)	USPAT	OR	ON	2005/04/01 14:41
ab.  S37 279 (router with (cache\$ or memory)same (busy or available))  S38 18 (router with (cache\$ or memory)same busy)  USPAT OR ON 2005/04/01 15:38	S35	487241	(router with cache\$ or memory)	USPAT	OR	ON	2005/04/01 14:41
memory)same (busy or available))  S38 18 (router with (cache\$ or memory)same busy )  USPAT OR ON 2005/04/01 15:38	S36	107	, , , , , , , , , , , , , , , , , , , ,	USPAT	OR	ON	2005/04/01 15:56
memory)same busy )	S37	279		USPAT	OR	ON	2005/04/01 15:35
S39 0 S38 and S36 USPAT OR ON 2005/04/01 15:38	S38	18		USPAT	OR	ON	2005/04/01 15:38
	S39	0	S38 and S36	USPAT	OR	ON	2005/04/01 15:38

			_			
S40	33	(router same (intelligent or smart)). ab.	USPAT	OR	ON	2005/04/01 16:50
S41	370	(router with (intelligent or smart))	USPAT	OR	ON	2005/04/01 15:57
S42	6679	(router adf (intelligent or smart)). ab.	USPAT	OR	ON	2005/04/01 15:58
543	1	(router adj (intelligent or smart)). ab.	USPAT	OR	ON	2005/04/01 16:00
S44	46	(router adj (intelligent or smart))	USPAT	OR	ON	2005/04/01 16:26
S45	1	("6205141").PN.	USPAT; USOCR	OR	OFF	2005/04/01 16:27
S46	2	(router same (intelligent or smart) same (cache or memory)).ab.	USPAT	OR	ON	2005/04/01 17:00
S47	84	(router same (intelligent or smart) same (cache or memory))	USPAT	OR	ON	2005/04/01 17:01
S48	351	((network or internet) and (domain adj name adj rout\$) or DNS or (domain adj name adj server)).ab.	USPAT	OR	ON	2005/04/05 12:08
S49	14559	"707"/\$.ccls.	USPAT	OR	ON	2005/04/05 12:09
S50	11	S49 and (version adj manag\$).ab.	USPAT	OR	ON	2005/04/05 12:10
S51	0	S49 and ((version adj manag\$)same router).ab.	USPAT	OR	ON	2005/04/05 12:10
S52	326	S49 and (archive or backup).ab.	USPAT	OR	ON	2005/04/05 12:11
S53	5	S49 and ((archive or backup) same rout\$).ab.	USPAT	OR	ON	2005/04/05 12:48
S54	182	((network or internet) and (router same stor\$)).ab.	USPAT	OR	ON	2005/04/05 12:49
S55	49	((network or internet) and (router same stor\$ same (memory or cach\$))).ab.	USPAT	OR	ON	2005/04/05 12:49